



Cranes and Crane Kits

Sophisticated Hoisting Technology since 1961



Grab Cranes

Grabs & Traverses

We offer a standardized and customized range of implemented or suspended grabs and traverses according to your requirements.

- Adjustable and fixed traverses to handle large objects safer and easier
- Highly durable rope grabs for most demanding handling applications like coal, copper or waste
- Motor grabs and hydraulic grabs mainly for dry material handling
- Multi-tine grabs (orange peel type)
- Clamshell grabs
- Coil grabs



10 t multi-tine grab for waste area



10 t clamshell rope grab for coal handling



35 t coil grab with rotation limit switch

Copper Grab Crane

Pos.	Application	Crane Typ	Crane Qty.	FEM	SWL	Span	Lifting Height	Main Hoist Model	Aux. Hoist Model	Trolley Drive Unit	Crane Drive Unit	Location	Year	Ambient Temp.	Main Hoist Speed	Aux. Hoist Speed	Trolley Speed	Crane Speed	Main Hoist Load Hook	Aux. Hoist Load Hook
1	Copper	Overhead	3	5m	25 t	41 m	20 m	KVFU 851T2Z EZK	Twin Hoist	RC5000	RC5000	Iran	2012	45°C	24 m/min	24 m/min	40 m/min	95 m/min	Grab	Grab



Slag Grab Crane

Pos.	Application	Crane Typ	Crane Qty.	FEM	SWL	Span	Lifting Height	Main Hoist Model	Aux. Hoist Model	Trolley Drive Unit	Crane Drive Unit	Location	Year	Ambient Temp.	Main Hoist Speed	Aux. Hoist Speed	Trolley Speed	Crane Speed	Main Hoist Load Hook	Aux. Hoist Load Hook
2	Slag Grab	Overhead	2	5m	13 t	26,6 m	30 m	KXFU 7544SEZK	-	RC1600	RC3200	Germany	2008	40°C	43 m/min	-	50 m/min	50 m/min	RN 6	-



Waste Grab Crane

Pos.	Application	Crane Typ	Crane Qty.	FEM	SWL	Span	Lifting Height	Main Hoist Model	Aux. Hoist Model	Trolley Drive Unit	Crane Drive Unit	Location	Year	Ambient Temp.	Main Hoist Speed	Aux. Hoist Speed	Trolley Speed	Crane Speed	Main Hoist Load Hook	Aux. Hoist Load Hook
3	Grab	Gantry	1	5m	10 t	35,3 m	12 m	KNFU 7522 EZK	-	RC1600	RC3200	Holland	2009	40°C	15 m/min	-	60 m/min	40 m/min	RN 5	-



Grab Crane

Pos.	Application	Crane Typ	Crane Qty.	FEM	SWL	Span	Lifting Height	Main Hoist Model	Aux. Hoist Model	Trolley Drive Unit	Crane Drive Unit	Location	Year	Ambient Temp.	Main Hoist Speed	Aux. Hoist Speed	Trolley Speed	Crane Speed	Main Hoist Load Hook	Aux. Hoist Load Hook
4	Grab	Overhead	1	5m	10 t	5,8 m	9 m	KNFU 7524 EZK	-	RC800	RC1600	-	2008	40°C	15 m/min	-	20 m/min	40 m/min	RN 5	-



Coil Grab Crane

Pos.	Application	Crane Typ	Crane Qty.	FEM	SWL	Span	Lifting Height	Main Hoist Model	Aux. Hoist Model	Trolley Drive Unit	Crane Drive Unit	Location	Year	Ambient Temp.	Main Hoist Speed	Aux. Hoist Speed	Trolley Speed	Crane Speed	Main Hoist Load Hook	Aux. Hoist Load Hook
5	Grab	Overhead	1	2m	40t	23,71 m	15 m	KVFU 7234 EZK	-	RC1600	RC2500	Germany	2011	40°C	10 m/min	-	20 m/min	80 m/min	RN 12	-



Waste Grab Crane

Pos.	Application	Crane Typ	Crane Qty.	FEM	SWL	Span	Lifting Height	Main Hoist Model	Aux. Hoist Model	Trolley Drive Unit	Crane Drive Unit	Location	Year	Ambient Temp.	Main Hoist Speed	Aux. Hoist Speed	Trolley Speed	Crane Speed	Main Hoist Load Hook	Aux. Hoist Load Hook
6	Grab	Overhead	1	5m	4t	13,425 m	13 m	KNFU 7734 EZK	-	RC800	RC1600	Germany	2007	40°C	26 m/min	-	40 m/min	40 m/min	RN 5	-





KÜHNEZUG German Cranes GmbH
Treudelberg 4
22397 Hamburg, Germany



Internet www.KUHNEZUG.eu



Email info@KUHNEZUG.eu



Phone +49 40 608202-0



Fax +49 40 608202-77

We are looking forward to discussing the configuration
of your hoisting equipment with you individually.

We are always at your service.